Strategies for Clinical Medical Education in Iran: A Systematic Review

Amin Beigzadeh¹, Nikoo Yamani^{2*}, Peyman Adibi³, Kambiz Bahaadinbeigy⁴

¹ Ph.D of Medical Education, Assistant professor, Leadership and Management Research Center, Kerman University of Medical Sciences, Kerman, Iran
² Ph.D of Medical Education, Associate professor, Department of Medical Education, Medical Education Research Center, Isfahan University of Medical Sciences, Isfahan, Iran

³ Ph.D of Gastroenterology and Hepatology, Professor, Integrative Functional Gastroenterology Research Center, Isfahan University of Medical, Isfahan, Iran

⁴ Ph.D of Medical Informatics, Associate professor, Medical Informatics Research Center, Institute for Futures Studies in Health, Kerman University of Medical Sciences, Kerman, Iran

Received: 2019 January 26 Revised: 2019 July 27 Accepted: 2019 July 31 Published online: 2020 July 29

*Corresponding author:

Department of Medical Education, Medical Education Research Center, Isfahan University of Medical Sciences, Isfahan, Iran. Email: yamani@edc.mui.ac.ir

Citation

Beigzadeh A, Yamani N, Adibi P, Bahaadinbeigy K. Strategies for Clinical Medical Education in Iran: A Systematic Review. Strides Dev Med Educ. 2020 December; 17(1):e89899. doi: 10.22062/sdme.2020.91011

Abstract

Background: In order to improve clinical education, after evaluating the current situation and identifying the shortcomings and problems, it is essential to find strategies to change and improve the situation. This results in planning an efficient clinical education program and achieving the educational goals.

Objectives: This study aimed at identifying strategies for clinical medical education in Iran. **Methods:** This systematic review was conducted in 2017 to find strategies for clinical medical education in Iran. Bedside teaching, ward round teaching, ward round, teaching round, training round, grand round, clinical teaching, ambulatory education, and bedside round were the keywords searched in both Persian- and English-language databases. Related articles were carefully reviewed and the key information was extracted. Finally, the data were analyzed in MAXQDA software version 10.

Results: After retrieving the related articles, the title and abstract of 593 papers were reviewed, and after excluding the irrelevant and duplicate ones, full-texts of 101 articles were reviewed based on the study inclusion and exclusion criteria. The strategies for clinical medical education in Iran were classified into five categories including infrastructures, areas of clinical education, educational planning, and clinical teachers and students.

Conclusion: Improving the quality of clinical education and the effectiveness of the educational system depends on the identification of appropriate strategies. The identified strategies pave the way for achieving targeted educational goals.

Keywords: Strategies, Clinical Education, Iran, Systematic Review

Background

One of the most important missions of universities is to train expert human resources demanded by society. For achieving this goal, it is necessary to plan to identify problems, implement programs, and ultimately resolve problems (1). Medical education is a part of the higher education system that deals with human lives. Therefore, paying more attention to its quantitative and qualitative aspects is of great importance.

Clinical education is the heart of medical education and a pillar in educational planning to shape clinical competency in medical students (2, 3). Clinical education is a process in which medical students gradually acquire skills at the patient's bedside, and by using the gained experiences and logical arguments, get prepared to solve the patient's problems (4). This environment plays a pivotal role in shaping the professional identity of students (5, 6) and preparing them as a responsible person to maintain and promote the health of society (7).

According to scientific evidence, although clinical education provides valuable opportunities to acquire clinical knowledge, practice clinical reasoning, improve communication skills, practice history taking and physical examination skills, etc. (8), it is replete with challenges and problems, including limited educational opportunities, large numbers of students, lack of resources, and inappropriateness of the clinical setting to learning. Common problems of clinical education include lack of clear goals and expectations, improper adjustment of training to the level of education,

Copyright© 2020, Strides in Development of Medical Education is Published by Kerman University of Medical Science. This is an openaccess article distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (http:// creativecommons.org/licenses/by-nc/4.0/) which permits copy and redistribute the material just in noncommercial usages, provided the original work is properly cited. passive observation instead of active participation of learners, insufficient monitoring and feedback, lack of respecting patients' privacy, and humiliation (2). Studies in Iran show that the clinical education is unfavorable. Ziaee et al., in a study reported moderate or low satisfaction of 85.4% of medical students in the clinical education stage concerning the quality of clinical training (9).

The results of the study by Kojouri on the viewpoints of first-year medical residents on clinical education showed that only 25% of the students were satisfied with the educational program (10). Evidence suggests that although bedside teaching was considered as the main part of clinical education for a long time, it is less popular today; so that bedside teaching is moved away from bedside to discussion rooms and conferences (11). The findings suggest that clinical education should be continuously evaluated and monitored because its promotion requires examining the current situation and identifying strategies for its improvement. Then, by these strategies, more effective training can be offered to train medical students and improve the quality of healthcare services.

To the best of our knowledge, there was no study in Iran on the best model of clinical education in terms of effectiveness, but some studies have identified strategies and provided suggestions for improving the current status of clinical education. Janicik and Fletcher performed a workshop with the participation of 135 medical teachers and offered the best model of bedside teaching. The model consisted of three parts: paying attention to the patient's comfort, centralized education, and group dynamics; each had specific objectives and focused on specific skills for effective clinical training (12). In a similar study, Irby provided an experimental model for the best method of bedside teaching, including identifying knowledge areas, training features, and the clinical reasoning process used by physicians during clinical rounds (13-15).

Objectives: Despite many studies conducted on the clinical education and its problems, there was no comprehensive research on providing effective clinical education and its strategies in Iran. The current study was the first comprehensive research on the identification of strategies for clinical medical education.

Methods

The article is part of a PhD thesis in medical education approved by the Ethics Committee of Isfahan University of Medical Sciences (code number: IR.MU.REC.1396.3.165). It is important to mention that that the authors of this paper reported the challenges of clinical medical education in Iran in another article (16); the current study aimed at identifying strategies for clinical medical education in Iran from March to October 2017.

In the current study, keywords such as bedside teaching, ward round teaching, ward round, training round, teaching round, grand round, clinical teaching, ambulatory education, and bedside round were first searched in Iranian Persian-language databases, including SID, IranDoc, Magiran, and Barakat Knowledge Network System. In addition, PubMed, Cochrane, Embase, Scopus, and Web of Science databases were searched to retrieve English-language articles compiled by Iranian authors. Google Scholar was also searched to expand the searching scope. In order to achieve the study objectives, the terms strategies, solutions, medical student, extern, intern, resident, medical teachers, clinical teachers, and patients were also searched separately or in combination with the keywords, using AND and OR operators in both Persianand English-language databases.

The sample search strategy for English databases was as follows:

[("teaching round" OR "ward round" OR "ward round teaching" OR "bedside teaching" OR "bedside round" OR "training round" OR "grand round" OR "clinical teaching" OR "ambulatory education" OR "clinical education") AND ("medical students" OR "externs" OR "interns" OR "residents" OR "externship" OR "internship" OR "residency" OR "medical teachers" OR "clinical teachers "OR" patients ") AND ("solutions" OR "strategies")].

No specific time limit was considered for searching the articles, and searchers were performed by one of the authors with the help of a medical librarian specialist. Two evaluators selected the articles, and discrepancies were resolved by consulting with a third party. In terms of comprehensiveness, the references of all eligible articles were evaluated manually in order to retrieve the eligible ones missed via an internet search. To verify the codes (strategies) extracted from the articles, all the retrieved papers were reviewed in two stages: first, when a list of strategies was prepared as a Word 2017 file; and second, when the coding was performed in MAX Qualitative Data Analysis software version 10.

Articles retrieved from each database were stored in an Excel file (Microsoft Office Excel 2017). Then, the articles were merged, and the duplications were deleted. In the next step, the articles were reviewed based on the title and abstract, and the irrelevant ones were excluded. Then, based on the inclusion and exclusion criteria, eligible articles were selected, their content was analyzed, and strategies for clinical medical education were extracted.

The inclusion criteria were: 1) studies on strategies for clinical medical education; 2) studies performed on clinical medical students in the externship, internship, residentship, fellowship as well as clinical teachers and patients, as target groups; 3) availability of the original research articles and their full-texts in Persian or English language; and 4) studies conducted in Iran and clinical medicine.

The exclusion criteria were: 1) articles presented in conferences and seminars, case reports, short reports, letters to the editor, critique, viewpoint, and review articles as well as those conducted on non-medical students and nonclinical medical teachers. 2) articles that their full-texts were unavailable were excluded.

In order to abstract the papers, one of the authors examined different parts of the articles, including the introduction, results, and some parts of the discussion to make sure of the relevance of the subject of the paper to the research objectives. Results of data classification were reviewed by one of the authors, and an external observer evaluated coding and classifying.

In qualitative papers, sentences related to strategies, as well as themes and subthemes, were extracted.

In quantitative articles, the strategies identified were based on the items mentioned by the author. All extracted items were stored in a Word file.

In order to analyze the data, the extracted strategies

were entered into the MAXQDA software. Each strategy was considered as a code, and all were compared based on differences and similarities. After classification, a relevant title was given to each class (Table 1). The information of the included studies in the systematic review is shown in Table 2. This information includes the name of the first author, study objectives, type of the study, the study methods, the target group, sample size, and the study location.

| m 11 - | | 1 | 1 | 1 | 1 + 1 | . 11 | | 1 | 1. 1 1 | |
|---------------|-----------------|------------------|---------------------------------------|-------------------|--------------|-------------|---------------------------------------|-----------------|---------------------------------|----|
| Tabla | | antogorion and | and cotocomo | obtained trease t | bo wornourod | othidian on | otratagian tar | CINDICOL 10 | adject adjection in Ira | 10 |
| татие т | | | SILL-CALEGOLLES | 0001200P01100001 | The reviewen | SHRIPS OIL | STRAIPURS INT | (11111 (21 11 | 1P(1)(A) P(1)(A)(0)() 101 11A | |
| Tuble 1 | · man categoine | , categoines and | sub calceones | obtained nom t | | studies on | stratezies for | cinnear in | iculcul cuuculon in ma | |
| | | , | · · · · · · · · · · · · · · · · · · · | | | | · · · · · · · · · · · · · · · · · · · | | | |
| | | | | | | | | | | |

| Main category | Category | Sub-category | | | |
|--|--|--|--|--|--|
| | | Necessary infrastructures | | | |
| Strategies for infrastructures | Improvement of resources and facilities | Educational and treatment equipment | | | |
| | | Educational and treatment environment | | | |
| | | Discipline in the clinical setting | | | |
| | | Compliance with rules and regulations | | | |
| | Prerequisites for clinical education | Preparation | | | |
| | | Acquisition of required skills | | | |
| | | Provision of learning opportunities | | | |
| | | Targeted clinical rounds | | | |
| | | Enhancement of communications | | | |
| | | Enhancement of communications | | | |
| | | Assigning a leader to the round | | | |
| | | Avoiding sporadic debates at the bedside | | | |
| | Promotion of clinical rounds | Avoiding the use of complicated terms | | | |
| Strategies for areas of clinical education | | Presenting the latest scientific knowledge in rounds | | | |
| | | Ascending participation in rounds | | | |
| | | Separation of teaching and working rounds | | | |
| | | Increasing training time | | | |
| | | Decreasing the number of students | | | |
| | Paying more attention to the patient | Respecting patient's rights | | | |
| | during the round | Reducing the number and time of visits | | | |
| | | Proper planning | | | |
| | | Setting educational goals | | | |
| | Training at the clinic | Increasing training time | | | |
| | | Provision of learning opportunities | | | |
| | | Development of ambulatory care centers | | | |
| | | Setting the minimum of learning | | | |
| | Informing about educational goals | Setting goals proportional to needs | | | |
| | improvement of chincal teaching methods | Revision of clinical teaching methods | | | |
| | | Determining learning experiences | | | |
| | informing about professional duties | Creating a job description | | | |
| Strategies for educational planning | Improvement of education management | Revision of the curriculum | | | |
| | Reducing the gap between theory and | Promotion of scientific knowledge | | | |
| | practice | Integration of theoretical and clinical courses | | | |
| | Continuous clinical monitoring and | Assessment of goals achievement | | | |
| | evaluation | Provision of feedback | | | |
| Strategies for divided to show | Correct advancement | Teachers' responsibility | | | |
| Strategies for clinical teachers | Career auvancement | Teachers' empowerment | | | |
| Stratagias for students | Improvement of professional constitution | Paying more attention to theoretical training | | | |
| | improvement or professional capabilities | Increasing the motivation | | | |

Table 2. The information of articles included in the systematic review

| Reference | Study Objectives | Study Type | Methodology | Target Group | Sample Size | Study Location |
|--------------------------------|---|------------------------|------------------------------|--|----------------|---|
| Ahmadi et al., (17) | Evaluation of teachers' perceptions in identifying and thinking about challenges in medical education to improve the achievement of educational goals and the quality of healthcare services | Phenomenology | Qualitative | Clinical teachers | 10 | Islamic Azad University, Mashhad branch |
| Rouhani et al., (18) | Identifying the viewpoints of externs, interns, residents, and teachers on the grand round | Descriptive-analytical | Quantitative | Externs, interns, residents, and clinical teachers | 237 | Iran University of Medical Sciences |
| Salari et al., (19) | Determining the degree of interns satisfaction with the quality of clinical training | Descriptive-analytical | Quantitative | Interns | 106 | Guilan University of Medical Sciences |
| Fani Pakdel et al., (20) | Evaluation of the viewpoints of medical residents on the various aspects of the grand round program and their level of satisfaction with it | Descriptive-analytical | Quantitative | Residents | 34 | Mashhad University of Medical Sciences |
| Arabshahi et al., (21) | Identification of training challenges in clinical rounds | Phenomenology | Qualitative | Clinical teachers | 9 | Isfahan University of Medical Sciences |
| Jalalvandi et al., (22) | Evaluation of the quality of clinical education | Descriptive-analytical | Quantitative | Externs | 119 | Kermanshah University of Medical Sciences |
| Azemian et al., (23) | Evaluation of barriers and facilitators of clinical education and strategies for improving its quality | Descriptive-analytical | Quantitative | Medical students | 92 | Bushehr University of Medical Sciences |
| Anbari et al., (24) | Determining the degree of medical students' satisfaction with the clinical education process | Descriptive-analytical | Quantitative | Interns and externs | 97 | Arak University of Medical Sciences |
| Anbari and Ramezani (25) | Identifying barriers to clinical education and providing proper strategies | Descriptive | Quantitative | Interns and externs | 84 | Arak University of Medical Sciences |
| Sharifi et al., (26) | Determining the quality and quantity of clinical education | Descriptive-analytical | Quantitative and qualitative | Interns and externs | 54 | Yasouj University of Medical Sciences |
| Nasri et al., (27 | Determining educational barriers and problems and strategies for overcoming the problems | Descriptive-analytical | Quantitative | Interns and externs | 72 | Arak University of Medical Sciences |
| Adibi and Alizadeh (28) | Identifying the viewpoint of the care team on the impact of the clinical rounds on patients | Descriptive-analytical | Quantitative | Interns and externs | 150 | Isfahan University of Medical Sciences |
| Khorasani et al., (29) | Evaluation of the quality of clinical education from the viewpoints of medical teachers and students | Descriptive-analytical | Quantitative | Interns, externs, residents, and clinical teachers | 180 | Mazandaran University of Medical Sciences |

| Zamanzad et al., (30) | Evaluation of the degree of satisfaction with training in clinical departments and its affecting factors | Descriptive-analytical | Quantitative | Interns and externs | 77 | Shahrekord University of Medical Sciences |
|-----------------------------------|--|------------------------|---------------------------------|------------------------------------|-----|---|
| Adibi and Anjavian (31) | Determining the viewpoints of patients on bedside round | Descriptive | Quantitative | Patients | 100 | Isfahan University of Medical Sciences |
| Mortazavi and Razmara (32) | Evaluation of the degree of medical students' satisfaction concerning teachers' performance, facilities, educational methods, etc. | Descriptive-analytical | Quantitative | Interns and externs | 400 | Isfahan University of Medical Sciences |
| Fekri and Sarrafinejad (33) | Evaluation of the status of medical education in three academic departments | Descriptive-analytical | Quantitative | Interns and externs | 239 | Kerman University of Medical Sciences |
| Avijegan et al., (34) | Evaluation of the quality of ambulatory education from the viewpoint of medical students to improve the quality of education | Descriptive-analytical | Quantitative | Interns and externs | 180 | Isfahan University of Medical Sciences |
| Rezaee and Ebrahimi (35) | Identifying factors influencing the learning of medical students in the clinical setting | - | Quantitative and qualitative | Clinical teachers and residents | 184 | Shiraz University of Medical Sciences |

Results

In the present study, 1021 articles were initially retrieved from databases, and after deleting duplicates, 593 articles were reviewed based on the title and abstract (546 articles in Persian and 47 in English). Of these, 492 articles were excluded, and 101 entered the next step. Then, the studies were reviewed based on the full-text and inclusion/ exclusion criteria, and finally, 19 articles were included in the study, of which 16 were in Persian and 3 in English.

The content of the articles was analyzed, and the

strategies for clinical medical education were extracted. The study flow chart is shown in Figure 1.

In terms of the type of studies, 15 articles were quantitative (79.0%), two qualitative (10.5%), and two qualitativequantitative (10.5%). In addition, 13 articles were performed based on the viewpoints of medical students (68.4%), two based on the viewpoints of clinical teachers (10.5%), three based on the viewpoints of students and teachers (15.8%), and one using the viewpoints of patients (5.3%) on strategies for clinical medical education (Table 2).



Figure 1. The process of entering articles to the systematic review

Discussion

Strategies for clinical medical education in Iran (153 codes)

Strategies for infrastructures: This category with 18 codes (11.8%) included improvement of resources and facilities (18 codes).

In order to create a suitable learning environment and provide the required infrastructures, first, the available resources and facilities should be examined, and then measures should be taken to strengthen and develop them. Research has emphasized on equipping libraries in terms of variety, number, and up-to-date resources, as well as providing necessary infrastructures such as the internet (26). Along with the development of infrastructures, it is essential to plan for the required educational and treatment equipment; several studies have noted this key point. Improvement of teaching aids (22), provision of medical facilities and equipment for ambulatory care centers (32), periodic evaluation of facilities available in clinics and managing shortcomings (34), provision of equipment required in clinical rounds (21), and the use of appropriate teaching aids (19) indicate the pivotal role of educational and treatment equipment in the clinical setting. In addition to the necessary facilities and equipment, the atmosphere should also be appropriate for learning and teaching. According to studies, improving and standardizing departments and physical spaces and providing a suitable environment for teachers and students to gain clinical experiences (23) to a large extent can maintain the desired atmosphere for teaching and learning. This can be obtained by providing a conducive learning environment for students via assessing the quality of services and improving them. Failure to pay attention to this issue can lead to a significant academic failure in students (36).

Strategies for clinical education: This category had 80 codes (52.2%) and included the prerequisites for clinical education (14 codes), promotion of clinical rounds (39 codes), paying attention to the patient during the round (8 codes), and training in the clinic (19 codes).

In order to establish an effective and efficient clinical education system, some issues should be considered as prerequisites for education. Discipline in the clinical setting is a prerequisite highlighted in different studies. The establishment of discipline and regularity in clinical rounds (26, 33), careful implementation of the internship program during the shift work, and paying attention to working hours and the time students attend the rotations were the topics noted in different studies (21). Implementing rules and regulations (21) and the observance of ethical codes in the clinical setting (23) were also emphasized. It is recommended that teachers prepare students before or at the beginning of the clinical training course. Studies performed worldwide have also emphasized this issue (37, 38), which is consistent with the results of the present study. The prerequisites for education include preparing teachers and students, acquiring the necessary skills before clinical training, and providing learning opportunities; more items were also noted in the

reviewed studies, including familiarizing students with the basics at the beginning of the course (19), teaching clinical skills on moulage before externship and internship courses (27), starting the education of basic clinical skills from externship (30), providing educational opportunities for students and assigning different tasks to them, and creating opportunities for students to repeat different clinical skills (23). For a targeted clinical education, both teachers and students should be prepared before the course. Preparation of teachers includes planning for training, setting educational goals for each session, identifying students' learning needs, and choosing a reference. Preparation of students can be performed as a working meeting to express requirements, assign a clear clinical role to each student, and determine educational expectations and goals.

Since clinical education and teaching rounds provide countless opportunities for students to acquire clinical competencies and shape their professional identity, improvement of the efficacy of clinical rounds is essential. Research studies have accentuated on the right conditions to increase the quality of clinical rounds. For the targeted ward rounds, the current procedure should be revised, and for changing the current trend, a specific plan has to be developed (20, 28, 31). For achieving the goal, an expert should be assigned to each clinical round in order to evaluate both teachers and students (20). The reduction of sporadic debates in clinical rounds also provides a context to have a targeted education and discuss more practical and applicable aspects or specific points at the bedside (28), through which, by providing new and up-to-date medical information, the latest scientific knowledge in prevention, diagnosis, and treatment arenas is conveyed (18, 20). Also, by increasing the participation of teachers and students and motivating them, suitable learning opportunities can be created. The commitment of all teachers and students to dynamic participation in clinical rounds (20), greater involvement and participation of externs and interns in diagnostic and therapeutic processes (29), attracting the participation of interns, and particularly externs, and allowing them to take patient's history (34), the involvement of teachers and students in bedside teaching processes (21), the involvement of students in training rounds (19), and creating question and answer opportunities for students (23) are the examples for this issue highlighted in some studies. In order to achieve these goals and create a context for more participation, more time should be spent on clinical rounds and attendance of students in the wards (23, 26).

It is recommended that the ward round teaching be conducted according to a specific educational program. This program can be initiated by introducing a clinical case to the students by the teacher and/or presenting the patient's history by one of the students. It is better that the clinical teacher provides further details on the history presented by the student, recounts the key points, and gives appropriate feedback via reminding the positive and negative aspects. It is suggested that the necessary

physical examinations be performed by the teacher in the presence of students. In addition, the opportunity should be provided for the students to repeat and practice, and if necessary, appropriate feedback should also be given to them. All have to be done in a respectful atmosphere with appropriate teacher-student-patient communication. Patient's needs and rights should be specifically considered (20, 23, 28, 30). It is recommended that in bedside teaching, the teacher first introduces himself and others presenting at the patient's bedside. Before teaching, the patient should be informed about the goals and the reason for the students' presence at the bedside. To maximize the patient's participation in the clinical education process, the teacher should consider him as a member of the care team and not as a tool to train the students. Clinical education goals can be better achieved by respecting the patient's rights and obtaining his/her permission.

Proper educational planning and goal setting is a strategy for providing better and more learning opportunities and improving the quality of clinical education. Several studies discussed this issue, considering its high importance. By setting clear goals and assigning topics to ambulatory training in each department (29), and justifying externs and interns before entering the ambulatory settings, as well as benefitting from the cooperation of experienced teachers in the ambulatory care centers (32), a proper plan can be made, according to the conditions and facilities of teaching clinics. The development of ambulatory care centers is also one of the effective strategies for increasing the quality of clinical education. The development and quantitative and qualitative support of public and teaching ambulatory care centers (32) can lead to the provision of an appropriate educational atmosphere with the maximum effectiveness.

Strategies for educational planning: This category had 41 codes (26.8%) and included awareness of educational goals (6 codes), improving clinical teaching methods (7 codes), informing on professional duties (6 codes), improving management (5 codes), reducing the gap between theory and practice (4 codes), and continuous clinical monitoring and evaluation (13 codes).

Determining the students' learning objectives (21, 24, 25) and introducing educational goals at the beginning of each course (26) can lead to the clarification of educational goals. Special attention should be paid in educational planning to the improvement of clinical teaching methods through reviewing the current methods (24, 30) and employing appropriate, up-to-date, and team-based ones (25, 35, 39). In addition to determining the educational goals, the professional duties should correctly and accurately be explained to the students. Providing the students with the lesson plan and explaining their job description at the beginning of the course (27), familiarizing employees with educational activities of students, and determining their scope of activity, as well as informing teachers about students' learning needs, can greatly help to advance the planned goals (23). According to studies, continuous clinical monitoring and evaluation of educational activities (19, 21, 24) and giving feedback

effectively and timely to students (25, 27) should be considered at all the stages of clinical training in order to enhance the achievement of goals in an appropriate and planned educational system.

Strategies for clinical teachers: This category had seven codes (4.6%) and included professional and career advancement (7 codes).

The effectiveness of the training provided by the clinical teachers depends on their responsiveness through timely attendance at clinical departments (23) and commitment to proper and adequate training (35). Teachers should be committed to clinical education, which is achieved through prioritizing teaching over treatment, providing organized and systematic education (40), and allocating enough time for bedside teaching (12, 41).

Several studies have noted the lack of teachers' teaching skills in clinical education (8, 42-45); hence, their teaching skills should be developed by planning and holding training courses and up-to-dating their skills and capabilities (17). According to scientific evidence, among factors influencing the success of organizations, human resources is the major one. Clinical teachers who are role models in terms of performance and behavior can play a pivotal role in training the students (46-48).

Strategies for students: This category had seven codes (4.6%) and included improving professional capabilities (7 codes).

Some studies highlighted the empowerment and motivation of students, along with the empowerment of teachers. Paying particular attention to theoretical training by holding educational conferences (23) and creating motivation and appropriate scientific and spiritual support for students (18, 23, 25) provide a good ground for learning. Studies conducted worldwide have pointed issues such as respect for students (40, 42) and creating motivation and paying attention to them in the training process (41, 45), which are consistent with the results of the present study. One of the most important issues in the training process is the participation of students in education. Participation in educational activities increases learning and helps the teachers to identify weaknesses of learners to eliminate them (49). In a study conducted in Iran, retaining the students' dignity and respecting and not discriminating between them were considered as the main characteristics of a capable teacher (50). Therefore, teachers should pay particular attention to such issues.

Conclusion

Identifying strategies for clinical education helps teachers to provide more effective teaching for students. This important issue leads to the improvement of the current situation and promotion of the quality of clinical education, resulting in training the skilled and experienced workforce to provide healthcare services for the community. One of the limitations of the present study is the lack of comprehensiveness of some categories and this can be related to the codes extracted from the articles not comprehensively investigating the strategies for clinical education. The results of the present systematic review, especially regarding teachers and students, have not the necessary and sufficient comprehensiveness.

Supplementary Material

Supplementary material(s) is available here [To read supplementary materials, please refer to the journal website and open PDF/HTML].

Acknowledgments

This article is part of a PhD. thesis in Medical Education at Isfahan University of Medical Sciences with code number 396165. The entire project was financially supported by the vice chancellor of research at Isfahan University of Medical Sciences. In addition, the National Centre for Strategic Research in Medical Education (NASR) supported it financially with code number 960215. The authors would like to thank Dr. Yazdi, Dr. Dehghan, and Ms. Esmaili for their valuable comments on improving the quality of the study, as well as Ms. Shahsavari that was instrumental in verifying the accuracy of the search for articles. The authors also wish to thank all the researchers whose articles were reviewed in the study.

Conflict of Interests: Authors declare that they have no conflict of interest.

Ethical Approvals: IR.MU.REC.1396.3.165

Funding/Support: Isfahan University of Medical Sciences and the National Center for Strategic Research in Medical Education (NASR).

References

1. Fasihiharandi T, Soltaniarabshahi S, Tahami S, Mohammadalizadeh S. Viewpoints of medical students about the quality of clinical education. J Qazvin Univ Med Sci. 2004; 8(30): 4-9. [In Persian]

2. Beigzadeh A, Bahaadinbeigy K, Adibi P, Yamani N. Identifying the challenges to good clinical rounds: A focus-group study of medical teachers. J Adv Med Educ Prof. 2019; 7(2): 62–73.

3. Salajegheh M, Bahmanbijari B, Shokouhi M, Safipour Afshar A, Beigzadeh A. Educational Environment Assessment at Outpatient Clinics in Teaching Hospitals of Kerman University of Medical Sciences, Iran, from residents' perspective based on the ACLEEM questionnaire. Strides Dev Med Educ. 2015; 12(1): 119-30. [In Persian]

4. Beigzadeh A, Adibi P, Bahaadinbeigy K, Yamani N. Strategies for teaching in clinical rounds: A systematic review of the literature. J

Res Med Sci. 2019;24:33. doi:10.4103/jrms.JRMS_460_18.

PMID:31143234 PMCID:PMC6521742

 Esmaeili M, Haghdoost AA, Beigzadeh A, Bahmanbijari B, Bazrafshan A. Personal and scientific characteristics of positive and negative role models among medical educators from the viewpoint of dentistry and pharmacy students in Kerman University of Medical Sciences, Iran. Strides Dev Med Educ. 2013; 10(3): 298-311. [In Persian]
 Beigzadeh A, Rahimi M, Lashkari M, Haghdoost A, Seyed Askari S. A Survey on the Characteristics of an Effective Clinical Teacher from the Viewpoints of Nursing students at Kerman University of Medical Sciences. Iran J Nursing. 2015; 28 (95): 44-53. [In Persian]. doi:10.29252/ ijn.28.95.44

7. Ahadian M. Principles and introduction to educational technology.

Tehran: Boshra Pub; 1995: 201-19. [In Persian]

8. Al-Swailmi FK, Khan IA, Mehmood Y, Al-Enazi SA, Alrowaili M, Al-Enazi MM. Students' perspective of Bedside Teaching: A qualitative study. Pak J Med Sci. 2016; 32 (2): 351-5. doi:10.12669/pjms. 322.9194. PMID:27182238 PMCid:PMC4859021

9. Ziaee M, Rezvani Khorashad M, Sadeghi Khorashad M, Hossini S. Medical students' viewpoints on the quality of morning report sessions. J Birjand Univ Med Sci. 2014; 20 (4): 401-8. [In Persian]

10. Kajori J. Investigating the perspectives of first year residents about how to perform morning round. Monthly report in Medical Education. Proceedings of the 10th congress in Medical Educationl; 2009 May 5-8; Shiraz, Iran. 2009: 119-120. [In Persian]

11. Kassirer JP. Redesigning graduate medical education: location and content. N Engl J Med. 1996;335(7):507-9. doi:10.1056/ NEJM199608153350709 PMID:8672167

12. Janicik RW, Fletcher KE. Teaching at the bedside: a new model. Med Teach. 2003; 25 (2): 127-30. doi:10.1080/0142159031000092490 PMID:12745518

Irby DM. Three exemplary models of case-based teaching. Acad
 Med. 1994; 69 (12): 947–53. doi:10.1097/00001888-199412000-00003
 PMID:7999181

14. Irby DM. How attending physicians make instructional decisions when conducting teaching rounds. Acad Med. 1992; 67(10):630–8. doi:10.1097/00001888-199210000-00002 PMID:1388522

 Irby DM. What clinical teachers in medicine need to know. Acad Med. 1994; 69 (5): 333–42. doi:10.1097/00001888-199405000-00003 PMID:8166912

16. Beigzadeh A, Yamani N, Bahaadinbeigy K, Adibi P. Challenges and Problems of Clinical Medical Education in Iran: A Systematic Review of the Literature, Strides Dev Med Educ. 2019; 16(1):e89897. doi: 10.5812/ sdme.89897.

17. Ahmady S, Hosseini MA, Homam SM, Farajpour A, Ghitaghi M, Hosseini-Abardeh M. Challenges of Medical Education at Islamic Azad University, Iran, from Faculty Perspectives: A Qualitative Content Analysis. Strides Dev Med Educ. 2016; 13(2): 114-32. [In Persian]

18. Rohani M, Baradaran HRB, Sanagoo A, Sarani M, Yazdani S, Alizadeh HR. Attitudes of Medical Students, Interns, Residents and Attending Professors Toward Morning Report . Razi J Med Sci. 2016; 23 (147): 115-24. [In Persian]

19. Salari A, Moaddab F, Rouhi Balasi L, Dadgaran I, Nourisaeed A, Pourali H, et al. Medical Interns' Satisfaction of Clinical Education's Quality in Rasht Hospitals. Educ Res Med Sci. 2016; 5(2): 97-102. doi:10.15171/rdme.2016.018

20. Fani Pakdel A, Anvari K, Rostami S. Evaluating perspectives of clinical assistants of mashhad University of Medical Sciences toward educational grand round program. Horizon of Medical Education Development. 2011; 4(4): 83-6. [In Persian]

21. Arabshahi KS, Haghani F, Bigdeli S, Omid A, Adibi P. Challenges of the ward round teaching based on the experiences of medical clinical teachers. J Res Med Sci. 2015; 20(3): 273–80.

22. Jalalvandi F, Yeganeh N, Shahsavari S, Ghorbani S, Moradi O, Ahmadi S, Behzadi AR. Evaluation of medical students' views on the current state of clinical education. J Clin Res Paramed Sci. 2014; 2(4): 260-6. [In Persian]

23. Azemian A, Motamed N, Yousefi MR. Barriers and Facilitating Factors in Learning of Effective Clinical Teaching in Bushehr University of Medical Sciences: Clinical Students, Point of View. Educational Development of Jundishapur. 2015; 6 (1): 8-17. [In Persian]

24. Anbari z, Syros A, Godarzi D, Zamani H. Satisfaction of medical students from the medical education process in externship and internship periods in internal and obstetric wards in Arak University of Medical Sciences. Journal of Health and Care. 2009; 11(2): 33-25. [In Persian]

25. Anbari Z, Ramezani M. The obstacles of clinical education and

strategies for the improvement of quality of education at Arak University of Medical Sciences in 2008. Arak Med Univ J. 2010; 13 (2): 110-18. [In Persian] 26. Sharifi B, Ghafarian Shirazi HR, Momeninejad M, Saniee F, Hashemi N, Jabarnejad A, et al. A survey of the quality and quantity of clinical education from the viewpoint of medical students. J Jahrom Univ Med Sci. 2012; 10(2): 57-63. [In Persian] doi:10.29252/jmj.10.2.57

27. Nasri K, Kahbazy M, Noroozy A, Nasri S. The medical education problems and possible solutions in stagers and intern's viewpoints of Arak University of Medical Sciences, 2006-07. Arak Med Univ J. 2010; 12(4): 111-21. [In Persian]

28. Adibi P, Alizadeh R. The Effects of Clinical Rounds on Patients in Internal Wards of Hospitals Affiliated to Isfahan University of Medical Sciences: The Viewpoints of Clinical Care Team. Iran J Med Educ. 2007; 7(1): 15-22. [In Persian]

29. Khorasani GH, Mahmoudi M, Vahidshahi K, Shahbaznejad L, Ghafari M. Evaluation of Faculty Members' and Students' Attitude Towards Ambulatory Teaching Quality. J Mazandaran Univ Med Sci. 2007; 17(58): 87-100. [In Persian]

30. Zamanzad B, Moezzi M, Shirzad H. Rate of satisfaction and evaluation of medical students (interns and externs) from the quality of clinical education in the Shahre-kord University of Medical Scienes-2005. Koomesh. 2007; 9(1): 13-20. [In Persian]

31. Adibi P, Anjevian M. The clinical rounds on patients' bedside in internal ward from patients' viewpoints. Iran J Med Educ. 2006; 6(1): 15-21. [In Persian]

32. Mortazavi SAA, Razmara A. Medical student satisfaction in different educational locations. Iran J Med Educ. 2001; 1(3): 51-4. [In Persian]

33. Fekri AR, Sarafinejad A. A survey of medical Students opionion regarding the quality of clinical medical education in 3 different educational groups. Teb va Tazkiyeh 2001;10(1):25-33. [In Persian]

34. Avizhgan M, Farzanfar E, Najafi M, Shams B, Ashoorion V. Ambulatory education quality in Al-Zahra hospital clinics in Isfahan, view of clerkships students and interns. Iran J Med Educ. 2011; 10(5): 896-905. [In Persian]

35. Rezaee R, Ebrahimi S. Clinical Learning Environment at Shiraz Medical School. Acta Medica Iranica. 2013; 51(1): 62-5. [In Persian]

36. Seyedaskari SM, Shafa MA, Iranmanesh F, Beigzadeh A, Mohammad Pour Ravari M. Quality assessment of educational services for residents in teaching hospitals of Kerman University of Medical Sciences, Iran, based on the SERVQUAL model. Strides Dev Med Educ. 2015; 12(1): 159-67. [In Persian]

 Castiglioni A, Shewchuk RM, Willett LL, Heudebert GR, Centor RM. A Pilot Study Using Nominal Group Technique to Assess Residents' Perceptions of Successful Attending Rounds. J Gen Intern Med. 2008;23(7):1060-5. doi:10.1007/s11606-008-0668-z PMID:18612745

PMCid:PMC2517943

Khan IA. Bedside teaching-making it an effective instructional tool.
 J Ayub Med Coll Abbottabad. 2014;26(3):286-9.

39. Beigzadeh A, Haghani F. Active learning methods: a way of tackling large classroom setting. Strides Dev Med Educ. 2016; 13(1): 107-13.

40. Roy B, Castiglioni A, Kraemer RR, Salanitro AH, Willett LL, Shewchuk RM, et al. Using cognitive mapping to define key domains for successful attending rounds. J Gen Intern Med. 2012; 27(11):1492-8. doi:10.1007/s11606-012-2121-6 PMID:22722975 PMCid:PMC3475821
41. McLeod PJ. successful formula for ward rounds. CMAJ. 1986; 134 (8): 902-4.

42. Ramani S, Orlander JD, Strunin L, Barber TW. Whither Bedside Teaching? A Focus-group Study of Clinical Teachers. Acad Med. 2003; 78(4): 384-90. doi:10.1097/00001888-200304000-00014 PMID:12691971
43. Williams K, Ramani S, Fraser B, Orlander J. Improving Bedside Teaching: Findings from a Focus Group Study of Learners. Acad Med. 2008; 83(3):257-64. doi:10.1097/ACM.0b013e3181637f3e PMID:18316871

44. Gonzalo J, Heist BS, Duffy BL, Dyrbye L, Fagan MJ, Ferenchick G, et al. Identifying and Overcoming the Barriers to Bedside Rounds: A Multicenter Qualitative Study. Acad Med. 2014; 89(2):326-34. doi:10.1097/ACM.000000000000000 PMID:24362381

45. Shehab A. Clinical Teachers' Opinions about Bedside-based Clinical Teaching. Sultan Qaboos Univ Med J. 2013; 13(1): 121–6. doi:10.12816/0003205 PMID:23573392 PMCid:PMC3616777

46. Vali L, Shokoohi M, Beigzadeh A. Characteristics of a Capable University Teacher the Viewpoints of Faculty Members of Health Services Management Department in Iranian Medical Universities. Iran J Med Educ. 2014; 14 (2): 90-100. [In Persian]

47. Bahmanbijari B, Beigzadeh A, Etminan A, Najarkolai AR, Khodaei M, Askari SM. The perspective of medical students regarding the roles and characteristics of a clinical role model. Electron Physician. 2017; 9(4):4124-4130. doi:10.19082/4124 PMID:28607645 PMCid:PMC5459282

48. Bijari BB, Zare M, Haghdoost AA, Bazrafshan A, Beigzadeh A, Esmaili M. Factors associated with students' perceptions of role modelling. Int J Med Educ. 2016;7:333-9. doi:10.5116 ijme. 57eb.cca2.PMID:27743447 PMCid:PMC5116367

49. Bahmanbijar B, Nazarieh M, Toufan N, Dehghani M, Beigzadeh A. Identification of the reasons behind students' lack of participation in classroom activities using a Delphi technique. Future Med Educ J. 2019; 9(2): 10-7.

50. Beigzadeh A, Shokoohi M, Vali L. Characteristics of a capable university lecturer from the viewpoints of health services management students in Iranian Medical Universities. Strides Dev Med Educ. 2014; 11(3): 330-41. [In Persian]